



SAFETY DATA SHEET

according to regulation (EC) No. 1907/2006 (REACH), Appendix II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	Stoneguard Underbody Coat
Registration number	-
Synonyms	None.
SDS number	8062
Product code	Ford Internal Ref.: 186236
Issue date	28-November-2014
Version number	2.0
Revision date	28-November-2014
Supersedes date	28-November-2014
Product use	Public use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Greases and Lubricants
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company name	Ford Motor Company Ltd.
Address	Parts Distribution Centre Royal Oak Way South NN11 8NT Daventry, Northants United Kingdom
Telephone number	+44 1327 305 198
Address	Ford-Werke GmbH Edsel-Ford-Str. 2-14 50769 Köln Germany
Telephone number	+49 221 90-33333
E-mail	HSE@rle.de
1.4 Emergency telephone number	+49 (0) 6132-84463 (GBK GmbH – 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	None.

Precautionary statements

Prevention	None.
Response	None.
Storage	None.
Disposal	None.

Supplemental label information	EUH208 - Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210 - Safety data sheet available on request.
---------------------------------------	--

2.3. Other hazards	The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.
---------------------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-octyl-2H-isothiazol-3-one	0.005-<0.05%	26530-20-1 247-761-7	-	613-112-00-5	H317 C ≥ 0.05% R43 C ≥ 0.05%

Classification: **DSD:** T;R23/24, C;R34, Xn;R22, R43, N;R50/53
CLP: Acute Tox. 4;H302, Acute Tox. 3;H311, Skin Corr. 1B;H314, Skin Sens. 1;H317, Acute Tox. 3;H331, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

List of abbreviations and symbols that may be used above:

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Get medical attention if any discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.
Ingestion Rinse mouth. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO₂).
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Fire may produce irritating, corrosive and/or toxic gases.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8.
For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible and place into containers. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. Dispose in accordance with all applicable regulations.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid release to the environment. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container.
Storage temperature: between 10 and 25°C.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection

Nitrile rubber

Glove thickness 0.4 mm.
Break through time \geq 480 min

Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Hand protection in case of splash contact
Nitrile rubber

Glove thickness 0.4 mm.
Break through time \geq 480 min

Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

The protective gloves to be used must comply with the specification of EU directive 89/686/EC and the resultant standard EN374. The above given information is based on laboratory test in line with EN374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove.

- Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour Clear.
Odour Amine-like.
Odour threshold Not available.
pH 8 (@20°C)
Melting point/freezing point Not available.
Initial boiling point and boiling range Not available.
Flash point not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.
Flammability limit - upper (%) Not available.

Vapour pressure Not available.

Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) soluble

Solubility (other) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 400 mPa·s

Viscosity temperature 20 °C (68 °F)

Explosive properties Not available.

Oxidizing properties Not available.

9.2. Other information

Density 1.25 g/cm³ (@ 20 °C)

VOC (EU) 0 g/l

VOC (CH) < 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials None known.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation	Not classified.
Skin contact	May cause sensitisation by skin contact.
Eye contact	Not classified.
Ingestion	Not classified.
Symptoms	Irritant effects.

11.1. Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol /water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 08 04 09 15 01 06
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.8. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Not applicable.

Restrictions on use

Not applicable.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product does not need to be labelled in accordance with EC directives or respective national laws.

Other EU regulations

Not applicable. Directive 2004/42/CE: 0g/l

Directive 94/33/EC on the protection of young people at work

2-octyl-2H-isothiazol-3-one (CAS 26530-20-1)

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

2-octyl-2H-isothiazol-3-one (CAS 26530-20-1)

National regulations

Follow national regulation for work with chemical agents.

VOC (EU):

0 g/l

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

Water hazard class

VwVwS (According to Annex IV)

WGK1

SECTION 16: Other information

List of abbreviations

AC: Article category.
acc., acc.to: according, according to.
ACGIH: American Conference of Governmental Industrial Hygienists.
AFNOR: French Institute for Standards (Association Française de Normalisation).
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
AICS: Australian Inventory of Chemical Substances.
ANSI: American National Standards Institute.
AOEL: Acceptable Operator Exposure Level.
AOX: adsorbable organic halogen compounds.
approx.: approximately.
ASTM: ASTM International.
ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
BAM: Federal Institute for Materials Research and Testing, Germany (Bundesanstalt für Materialforschung und -prüfung).
Maximum permissible concentration of biological working substances (BAT: Biologische Arbeitsstofftoleranzwerte).
BAuA: Federal Institute for Occupational Health and Safety, Germany (Bundesanstalt für Arbeitsschutz und Arbeitsmedizin).
BCF: Bio-concentration factor.
BET: Brunauer-Emmett-Teller.
BLV: Biological Limit Value.
BLV: Biological Limit Value (BGW: Biologischer Grenzwert, Austria).

BMGV: Biological Monitoring Guidance Value (EH40,UK).
BSI: British Standards Institution.
BS: British Standard.
BOD5: Biochemical oxygen demand within 5 days.
BOD: Biochemical oxygen demand.
bw: Body weight.
calcd.: calculated.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization (Comité Européen de Normalisation).
CESIO: European Committee on Organic Surfactants and their Intermediates (Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques).
ChemRRV: Ordinance on the risk reduction related to chemical products (ChemRRV: Chemikalien-Risikoreduktions-verordnung, Switzerland).
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR: Substances classified as Carcinogenic, Mutagenic or toxic for Reproduction.
CNS: Central Nervous System.
CNT: Carbon nanotubes.
COD: Chemical Oxygen Demand.
CSA: Chemical Safety Assessment.
CSR: Chemical Safety Report.
DETEC: Swiss Federal Department of the Environment, Transport, Energy and Communications.
DIN: German Standards Institute / German industrial norm (Deutsches Institut für Normung / Deutsche Industrienorm).
DMEL: Derived Minimum Effect Level.
DNEL: Derived No Effect Level.
DOC: Dissolved organic carbon.
DPD: Directive 1999-45-EC / Dangerous Preparations Directive.
DSD: Directive 67/548-EC / Dangerous Substances Directive.
DSL: Canada, Domestic Substances List.
DU: Downstream User.
dw: dry weight.
e.g.: For example, for instance.
EBW: Exposure Based Waiving.
EC: European Community.
EC50: Effective Concentration 50%.
ECHA: European Chemical Agency.
EINECS: European Inventory of Existing Commercial Chemical Substances.
ELINCS: European List of Notified Chemical Substances.
EN: European norm.
ENCS: Japan, Inventory of Existing and New Chemical Substances.
EPA: United States Environmental Protection Agency.
ERC: Environmental release category.
ES: Exposure scenario.
EUSES: European Union System for the Evaluation of Substances.
EWC/EWL: European Waste Catalogue.
GCL: General concentration limit.
gen.: general.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
GLP: Good Laboratory Practice.
GW/VL: Occupational exposure limit value.
GW-kw: Occupational exposure limit value - short term.
GW-M/VL-M: Occupational exposure limit value – "Ceiling".
GWP: Global Warming Potential.
HPV: High Production Volume Chemicals.
HEPA: High Efficiency Particulate Air.
IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
IBC: Intermediate Bulk Container.
IBC Code: International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO: International Civil Aviation Organization.
IC50: Inhibition Concentration 50%.
IECSC: Inventory of Existing Chemical Substances in China.
IMDG Code: International Maritime Dangerous Goods Code.
IMO: International Maritime Organization.
incl.: including, inclusive.
ISO: International Standards Organization.

IUCLID: International Uniform Chemical Information Database.
 IUPAC: International Union for Pure Applied Chemistry.
 KECI: Korea Existing Chemicals Inventory.
 LCA: Life Cycle Assessment.
 LC: Lethal Concentration.
 LC50: Lethal Concentration 50%.
 LCLo: Lowest published lethal concentration.
 LD50: Lethal Dose 50%.
 LEV: Local exhaust ventilation.
 LOAEL: Lowest observed adverse effect level.
 LOEC: Lowest observable effect concentration.
 LOEL: Lowest observable effect level.
 LPV: Low Production Volume Chemicals.
 LQ: Limited Quantities.
 Air Quality Control Regulation (LRV: Luftreinhalteverordnung, Switzerland).
 TLV-STEL: Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value (TRK-Kzw = Technische Richtkonzentration - Kurzzeitwert).
 Maximum allowable workplace concentration – instantaneous value (MAK-Mow: Maximale Arbeitsplatzkonzentration – Momentanwert, Austria)
 Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value (MAK-Tmw, TRK-Tmw : Maximale Arbeitsplatzkonzentration - Tagesmittelwert / TRK-Tmw = Technische Richtkonzentration – Tagesmittelwert, Austria).
 MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).
 MARPOL: International Convention for the Prevention of Pollution From Ships.
 MTD: Maximum tolerated dose.
 MWCNT: Multi-walled carbon nanotubes.
 n.a.: not applicable.
 N/A: Not available.
 n.d.: not determined.
 NLP: No Longer Polymers.
 NDSL: Canada, Non-Domestic Substances List.
 NF: French Norm (See AFNOR).
 NFPA: National Fire Protection Association.
 NIOSH: National Institute for Occupational Safety & Health.
 NOAEC: No Observed Adverse Effect Concentration.
 NOAEL: No observed adverse effect level.
 NOEC: No observed effect concentration.
 NOEL: No observed effect level.
 NTP: National Toxicology Program.
 NZIoC: New Zealand Inventory of Chemicals.
 ODP: Ozone Depletion Potential.
 OECD: Organization for Economic Cooperation and Development.
 OEL: Occupational Exposure Limit.
 org.: organic.
 OSHA: Occupational Safety & Health Administration.
 PAH: Polycyclic Aromatic Hydrocarbons.
 PBT: Persistent, bioaccumulative, toxic.
 PC: Product category.
 PE: Polyethylene.
 PEC: Predicted Environmental Concentration.
 PEL: Permissible Exposure Limit.
 PIC: Prior Informed Consent.
 PICCS: Philippines Inventory of Commercial Chemical Substances.
 PNEC: Predicted No Effect Concentration.
 POCP: Photochemical ozone creation potential (Photochemisches Ozonbildungspotenzial).
 POP: Persistent Organic Pollutant.
 PPORD: Product and Process Oriented Research and Development.
 PPE: Personal Protective Equipment.
 PROC: Process category.
 RA: Risk Assessment.
 RAR: Risk Assessment Report.
 RCRA: Resource Conservation Recovery Act.
 REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
 RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).
 RMM: Risk Management Measure.
 RTECS: Registry of Toxic Effects of Chemical Substances.

QSAR: Quantitative Structure Activity Relation.
 SARA: Superfund Amendments and Reauthorization Act.
 SADT: Self-Accelerating Decomposition Temperature.
 SCL: Specific concentration limit.
 SEA: socio economic analysis.
 STEL: Short-term Exposure Limit.
 STP: Sewage treatment plant.
 SU: Sector of use.
 SVHC: Substance of Very High Concern.
 SWCNT: single-walled carbon nanotubes.
 ThOD: Theoretical oxygen demand.
 TOC: Total Organic Carbon.
 TLV: Threshold Limit Value.
 TRA: Targeted Risk Assessment.
 TSCA: Toxic Substance Control Act.
 TWA: Time Weighted Average.
 UC: Use category.
 UDS: Use descriptor system.
 UEC: Use and exposure categories.
 UN: United Nations.
 UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods.
 UVCB: Unknown or Variable Composition, Complex Reaction Products, and Biological Materials.
 Regulation on combustible liquids (VbF: Verordnung über brennbare Flüssigkeiten, Austria).
 Regulation of the Austria Minister for Labor and Social Affairs regarding health surveillance at the workplace (VGÜ = Verordnung des Bundesministers für Arbeit und Soziales über die Gesundheitsüberwachung am Arbeitsplatz).
 VOC: Volatile organic compounds.
 vPvB: very Persistent, very Bioaccumulative.
 WEL-TWA: Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
 WEL-STEL: Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
 WoE: Weight of evidence.
 WHMIS: Workplace Hazardous Materials Information System.
 WHO: World Health Organization.
 wwt: wet weight.
 Not available.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R22 Harmful if swallowed.
 R23/24 Toxic by inhalation and in contact with skin.
 R34 Causes burns.
 R43 May cause sensitisation by skin contact.
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H331 Toxic if inhaled.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Stoneguard Underbody Coat
Ford Int. Ref. No.: 186236

Page: 1/1
Print Date: 28.11.2014

Involved Products:

	Finiscode	Part number	Container Size:
1.	1 720 930	AU7J M5G39 AA	1 l